




Sociedad Española
de Reumatología -
Colegio Mexicano
de Reumatología

Reumatología Clínica

www.reumatologiaclinica.org



Special Article

Utility of virtual reality in medical training: Clinical management of a patient with knee monoarthritis

Javier de Toro Santos,^{a,*} Ana Isabel Turrión,^b Mariano Andrés Collado,^c M. Carmen San José Méndez,^a Roberto Rilo Antelo,^d Juan Antonio Juanes Méndez^e

^a Universidade da Coruña, INIBIC, Servicio de Reumatología, Hospital Universitario A Coruña, A Coruña, Spain

^b Servicio de Reumatología, Hospital Universitario de Salamanca, Salamanca, Spain

^c Servicio de Reumatología, Hospital General Universitario Dr. Balmis de Alicante, Alicante, Spain

^d Servicio de Microbiología, Hospital Universitario A Coruña, A Coruña, Spain

^e Departamento de Anatomía Humana, Facultad de Medicina, Universidad de Salamanca, Salamanca, Spain

ARTICLE INFO

Article history:

Received 18 February 2024

Accepted 7 August 2024

Available online xxx

Keywords:

Arthrocentesis

Virtual reality

Medical training

Teaching innovation

Palabras clave:

Artrocentesis

Realidad virtual

Formación médica

Innovación docente

ABSTRACT

The use of technological environments with virtual reality (VR) techniques for the practice of arthrocentesis offers an effective and safe way to learn and improve the necessary skills to carry out a medical procedure and patient care. This article presents an interactive simulator using immersive VR, in which the participant experiences practicing clinical management and decision-making in the face of a person presenting with monoarthritis in a medical consultation. The objective with this development is for the user to acquire the competence to perform, correctly and safely, a knee arthrocentesis and to differentiate the types of synovial fluids that can be found in a joint. In turn, it provides clinical guidance and assists with the user's medical decision-making. Therefore, the aim is to improve the quality of care and patient safety when practicing this technique previously through clinical simulation.

© 2024 The Author(s). Published by Elsevier España, S.L.U. This is an open access article under the CC BY-NC-ND license (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Utilidad de la realidad virtual en la formación médica: manejo clínico de un paciente con monoartritis de rodilla

RESUMEN

El uso de entornos tecnológicos con técnicas de realidad virtual (RV) para la práctica de la artrocentesis ofrece una forma efectiva y segura de aprender y mejorar las habilidades necesarias para llevar a cabo un procedimiento médico y la atención a los pacientes. En este artículo se presenta un simulador interactivo mediante RV inmersiva, en la que el participante vive la experiencia de practicar el manejo clínico y la toma de decisiones ante una persona que presenta una monoartritis en una consulta médica. Nuestro objetivo con este desarrollo es que el usuario adquiera la competencia para realizar, de forma correcta y segura, una artrocentesis de rodilla y diferenciar los tipos de líquidos sinoviales que podemos encontrar en una articulación, proporcionar una orientación clínica y la toma de decisiones médicas. Con todo ello, se busca mejorar la calidad de la atención y la seguridad del paciente al practicar esta técnica previamente mediante simulación clínica con realidad virtual.

© 2024 Los Autores. Publicado por Elsevier España, S.L.U. Este es un artículo Open Access bajo la CC BY-NC-ND licencia (<http://creativecommons.org/licenses/by-nc-nd/4.0/>).

Medical simulation in health science disciplines

High quality medical education and training has to respond to society's needs, which have an impact on all educational envi-

ronments. Teaching systems in both universities and in health education are beginning to introduce changes, forcing teaching professionals to adopt new responsibilities based on the management and use of emerging technologies.

Clinical simulation has emerged as a powerful tool in the field of health sciences, revolutionising the way in which future professionals prepare to face real world challenges. In both medical teaching and training virtual environments enable participants to

* Corresponding author.

E-mail address: javier.toro@udc.es (J. de Toro Santos).

interact with simulated patients through technological procedures that emulate different clinical situations. In these environments students can practice, among others procedures, such as drug administration, wound dressing, catheter insertion, surgical procedures, ultrasound examination, and cardiac auscultation.^{1–8} The main advantage is to develop skills in different contexts and prepare for unusual or emergency situations. Everything takes place in a safe environment where practice can be repeated as many times as necessary to improve skill and confidence.^{9–11} We can therefore say that these methods offer a risk-free hands-on experience and promote an active, practical approach to learning rather than simply acquiring theoretical knowledge.^{12–14} The use of clinical simulation environments has been the subject of numerous evaluations and research studies which have sought to analyse the effectiveness and impact of simulation on learning, clinical skills and patient safety. Participants can apply concepts and skills in real-life situations, facilitating deep understanding and long-term retention. Students frequently experience anxiety during their first clinical practice sessions. Simulation gives them the opportunity to gradually approach these situations, reducing anxiety and increasing their confidence before working with real patients.^{15–22}

Simulation systems often provide immediate and detailed feedback to participants on their performance. As a result, they can identify areas for improvement and hone their skills in real time, speeding up the learning process.^{23,24} Some of the problems that users may have when handling these VR technological procedures are: tripping, eye fatigue, dizziness, and headaches.²⁵ However, these discomforts are gradually disappearing with the improvement in the quality of the VR glasses currently on the market.

Clinical management simulation of a patient with monoarthritis

This study presents an interactive simulator using immersive virtual reality in which the participant will experience practicing clinical management and decision-making for a person with monoarthritis of the knee during a medical consultation. The initial approach to the patient with monoarthritis constitutes a diagnostic challenge, even for the most experienced clinician. Any joint disease can begin as monoarthritis. Differential diagnosis is one of the most important in this case. The clinician's priority is to identify patients with infectious arthritis since this may cause joint destruction in just a few hours.

To achieve this goal, it is essential to perform a good clinical history, a thorough physical examination and immediate analysis of the synovial fluid, completed with blood analysis and radiographic studies.

Our technological development has led us to aim at having participants learn to handle and experience the clinical approach to a person with monoarthritis, acquiring the skills to correctly perform a knee arthrocentesis, highlighting correct asepsis and the importance of recording the patient's informed consent in the clinical history. To do this, we review the anatomical bases of the knee joint with a clinical focus, to serve as support for subsequent arthrocentesis and infiltration. In addition, we design various clinical scenarios to differentiate the different types of synovial fluids that can be found in a joint and provide clinical guidance, to properly use the storage and transport tubes for synovial fluid for its correct processing, to identify the most frequent crystals that cause arthritis due to their crystallographic characteristics and to clinically manage any suspicion of infectious arthritis.



Figure 1. Resident doctor with the Oculus Meta Quest 2 VR glasses used to experiment with our technological application. The glasses have 2 joysticks for accessing the different options of the technological application.

Design of the technological development

Any stimulation activity requires first determining the needs of the professionals to be trained, the skills required of that training and the teaching objectives. We designed various protocols for action with virtual reality techniques using stereoscopic vision glasses.

Technical applications used

We used Unity 3D as a development engine. This has a series of programming routines that are operable in an interactive environment. Unity 3D is a multiplatform computer development engine that enables the creation of interactive 2D and 3D applications. It is known for its versatility and ability to develop content for a wide range of devices, including PCs, consoles, mobile devices and, especially, virtual reality experiences. Unity provides a visual development environment with an intuitive user interface that facilitates the creation and editing of content.

The programming language used with Unity was C++, through the Application Programming Interface (API) of scripting plugins (Unity Native Plugin) to improve performance. It is a small programming language whose code is inserted into HTML pages. These enable prototyping programmes, automating repetitive tasks, and interacting with the operating system and the user.

One of the main reasons for using the C++ language in Unity 3D was to improve performance, because it offers more precise control over memory management and application performance.

The Oculus Meta Quest 2 virtual reality (VR) headset (Fig. 1) was used, weighing 530 g and using a colour LCD screen with a



Figure 2. Waiting room while the virtual models and elements are loading. Before entering through the door of this room, the main movements that the 2 joysticks provide within the doctor's surgery are explained.



Figure 3. Medical consultation room with table and computer, portfolios with the consent form, with the patient on the bed, sink, cabinet with arthrocentesis and infiltration material, optical microscope and information panels on the walls.

resolution of $1,920 \times 1,832$. These headsets are equipped with the Snapdragon XR2 processor, which is considered to have a fast processing speed by today's standards.

Development of the virtual learning environment

The development of the virtual learning environment begins with the definition of the learning objectives to be achieved with the virtual environment. In other words, what specific concepts do we want to teach? What skills or procedures should participants practice: students, resident physicians or practicing physicians? In this way, specific goals are established to guide the outline of the virtual environment.

Our computer application starts from a visual environment of a waiting room (Fig. 2), before entering the clinician's surgery (Fig. 3).

Once inside the surgery, the graphical interface for interaction with the user presents different types of screens that are located on the walls of the room and which we can access using the joystick controls. We began by choosing a clinical situation from 4 different scenarios, all based on a case of a patient with knee arthritis, which requires performing a diagnostic arthrocentesis.

We designed the protocol for the arthrocentesis procedure to be performed after medical indication. The procedure begins by obtaining the patient's informed consent (the virtual room monitors indicate the need to provide information on the technique with its advantages and adverse effects, which the patient must accept and which must be reflected in the clinical history). This is achieved by bringing the portfolio closer to the virtual patient and subsequently validating the information by clicking on the mouse on the monitor on the table in the doctor's office. The patient is placed in a comfortable position on a bed to perform the puncture.




Figure 4. 3D anatomical representation of the area where we must perform the arthrocentesis.



Figure 5. Visualisation of the ultrasound-guided arthrocentesis. On the screen you can see an image of knee arthrocentesis and at the same time the ultrasound image.




Figure 6. Example of one of the multiple choice questions that the user must answer to continue with the procedure, where images and videos can be seen when clicking on their icons.

We begin by washing our hands, preparing all the necessary material to perform the arthrocentesis and infiltration on a tray, putting on the gloves and proceeding to sterilise the joint area where the puncture will be performed. The arthrocentesis is then performed and the joint fluid is analysed. We finish the test by placing a sterile dressing on the puncture area. The sample is analysed visually on the syringe used to extract the synovial fluid and in the virtual laboratory with a microscope. The information panels in the virtual room are a guide to the steps to be followed during the procedure, showing educational material such as images or videos explaining basic concepts important for correctly carrying out the entire arthrocentesis or infiltration procedure (Figs. 4 and 5).

Throughout the procedure, the participant must resolve the questions that are posed to them, some of which are related to knowledge and others to decision-making (Fig. 6). We use images of synovial fluid in syringes, ultrasound images, as well as various preparations on slides to identify crystals using an optical microscope and cell cultures for microbiological analysis (Fig. 7).




Figure 7. Image of a preparation for microbiological culture and under the microscope.



Figure 8. Screen showing the final grade obtained after completing the entire test.

Virtual training settings

We developed 4 training settings where the patient presented with arthritis of the knee.

In the *first setting*, the participant faces the situation of a patient with monoarthritis with mechanical characteristics, and must follow certain steps, answer questions and make decisions based on the information provided, and where they must perform an infiltration after arthrocentesis.

In the *second setting*, the participant has a patient with inflammatory monoarthritis where crystals are observed and, due to its crystallographic characteristics, they must diagnose the patient correctly and propose an appropriate treatment.

In the *third setting*, the situation is complicated by an infection, where correct action must be taken on a suspected diagnosis and early treatment with antibiotics must be applied.

The *fourth setting* consists of random steps with situations from any of the previous settings.

At the end of each setting, the score obtained is shown, differentiating the errors made and whether the diagnostic procedure and decision-making have been carried out correctly (Fig. 8) (Appendix B Additional material: explanatory video of the user's vision with VR glasses).

Results of the technological development

We tested the application on a group of 8 6th year medical students, 16 family medicine resident physicians and 4 rheumatology resident physicians, with a satisfaction level of 5 out of 5 points in 100% of the users. The students considered that this type of technological learning resources should be included in the medical subjects studied right from the beginning of medical school, in order to improve their learning. The resident physicians stated that the experience was relevant to their clinical practice, indicating that the virtual scenarios generated were of sufficient fidelity to develop a clinical experience such as the one proposed and that they had considerably improved their clinical skills in the manage-

ment of a patient with monoarthritis. The resident physicians also felt more secure and confident to face real clinical situations after the virtual simulation. Two participants (7.1% of the users) suffered from “dizziness” with the use of virtual reality glasses, and this was resolved by performing the activity sitting on a chair.

Final considerations

VR techniques offer numerous applications in our field that lead to optimisation of medical training.^{1–8} This technological development allows the user to experience clinical management in a realistic setting within the doctor's surgery. These technological teaching applications improve the training of the students who practice them and allow doctors in training to acquire experience in the execution of arthrocentesis, which results in a better performance when it has to be performed on a real patient. The simulator offers major advantages, the most notable being training in a safe environment to learn and perfect the arthrocentesis technique; the possibility of repeating the procedure as many times as necessary to acquire the necessary skill; allowing the participant to advance at their own pace in their learning process, and reducing the costs associated with the use of materials.

To conclude, the use of technological simulators with VR techniques demonstrates an innovative and updated approach in medical training. Further steps are required in the research and incorporation of these new technologies in healthcare training. With this project, the participant experiences a dynamic learning process on the clinical management of a patient with monoarthritis of the knee and the arthrocentesis technique, integrating theoretical and practical concepts simultaneously within a virtual visual environment.

Funding

This study was funded by the Prof. Novoa Santos and the Universidade da Coruña foundations.

Conflict of interests

The authors have no conflict of interests to declare.

Acknowledgements

We would like to thank Santiago González Izard, director of the ARSoft company, from the scientific park of the University of Salamanca, for his collaboration in the technological development of our teaching computer application.

Appendix A. Supplementary data

Supplementary material related to this article can be found, in the online version, at doi:<https://doi.org/10.1016/j.reumae.2024.11.004>.

References

- Henn JS, Lemole GM, Ferreira MA, Gonzalez LF, Schornak M, Preul MC, et al. Interactive stereoscopic virtual reality: a new tool for neurosurgical education. *J Neurosurg.* 2002;96:144–9. <http://dx.doi.org/10.3171/jns.2002.96.1.0144>.
- Bradley P. The history of simulation in medical education and possible future directions. *Med Educ.* 2006;40:254–62. <http://dx.doi.org/10.1111/j.1365-2929.2006.02394.x>.
- Levinson AJ, Weaver B, Garside S, McGinn H, Norman GR. Virtual reality and brain anatomy: a randomised trial of e-learning instructional designs. *Med Educ.* 2007;41:495–501. <http://dx.doi.org/10.1111/j.1365-2929.2006.02694.x>.
- González Izard S, Juanes Méndez JA, Ruisoto Palomera P, García-Peñalvo FJ. Applications of Virtual and Augmented Reality in Biomedical Imaging. *J Med Syst.* 2019;43:102. <http://dx.doi.org/10.1007/s10916-019-1239-z>.

5. Hanna MG, Ahmed I, Nine J, Prajapati S, Pantanowitz L. Augmented Reality Technology Using Microsoft HoloLens in Anatomic Pathology. *Arch Pathol Lab Med*. 2018;142:638–44, <http://dx.doi.org/10.5858/arpa.2017-0189-OA>.
6. Escalada-Hernández P, Soto Ruiz N, San Martín-Rodríguez L. Design and evaluation of a prototype of augmented reality applied to medical devices. *Int J Med Inform*. 2019;128:87–92, <http://dx.doi.org/10.1016/j.ijmedinf.2019.05.004>.
7. Kramers M, Armstrong R, Bakhshmand SM, Fenster A, de Ribaupierre S, Eagleson R. Evaluation of a mobile augmented reality application for image guidance of neurosurgical interventions. *Stud Health Technol Inform*. 2014;196:204–8.
8. Lim K, Suresh P, Schulze JP. Oculus Rift with Stereo Camera for Augmented Reality Medical Intubation Training. *Symp. on Electronic Imaging: The Engineering Reality of Virtual Reality*. 2017:5–10, <http://dx.doi.org/10.2352/ISSN.2470-1173.2017.3.ERVR-089>.
9. Nikou C, Digioia AM, Blackwell M, Jaramaz B, Kanade T. Augmented reality imaging technology for orthopaedic surgery. *Oper Tech Orthop*. 2000;10:82–6, [http://dx.doi.org/10.1016/S1048-6666\(00\)80047-6](http://dx.doi.org/10.1016/S1048-6666(00)80047-6).
10. van Dam A, Laidlaw DH, Simpson RM. Experiments in Immersive Virtual Reality for Scientific Visualization. *Comput Graph*. 2002;26:535–55, [http://dx.doi.org/10.1016/S0097-8493\(02\)00113-9](http://dx.doi.org/10.1016/S0097-8493(02)00113-9).
11. Stadie AT, Kockro RA, Reisch R, Tropine A, Boor S, Stoeter P, et al. Virtual reality system for planning minimally invasive neurosurgery: Technical note. *J Neurosurg*. 2008;108:382–94, <http://dx.doi.org/10.3171/JNS.2008.108.2.0382>.
12. Ruthenbeck GS, Reynolds KJ. Virtual reality for medical training: the state-of-the-art. *J Simul*. 2015;9:16–26, <http://dx.doi.org/10.1057/jos.2014.14>.
13. Pottle J. Virtual reality and the transformation of medical education. *Future Healthc J*. 2019;6:181–5, <http://dx.doi.org/10.7861/fhj.2019-0036>.
14. Couperus K, Young S, Walsh R, Kang C, Skinner C, Essendrop R, et al. Immersive Virtual Reality Medical Simulation: Autonomous Trauma Training Simulator. *Cureus*. 2020;12:e8062, <http://dx.doi.org/10.7759/cureus.8062>.
15. Albrecht U, Noll C, von Jan U. Explore and experience: mobile augmented reality for medical training. *Stud Health Technol Inform*. 2013;192:382–6.
16. Bressler DM, Bodzin AM. A Mixed Methods Assessment of Students' Flow Experiences during a Mobile Augmented Reality Science Game. *J Comput Assist Learn*. 2013;29:505–17, <http://dx.doi.org/10.1111/jcal.12008>.
17. Cuendet S, Bonnard Q, Do-Lenh S, Dillenbourg P. Designing augmented reality for the classroom. *Comput Educ*. 2013;68:557–69, <http://dx.doi.org/10.1016/j.compedu.2013.02.015>.
18. Di Serio Á, Ibáñez MB, Delgado C. Impact of an augmented reality system on students' motivation for a visual art course. *Comput Educ*. 2013;68:586–96, <http://dx.doi.org/10.1016/j.compedu.2012.03.002>.
19. Lin TJ, Duh HBL, Li N, Wang HY, Tsai CC. An investigation of learners' collaborative knowledge construction performances and behavior patterns in an augmented reality simulation system. *Comput Educ*. 2013;68:314–21, <http://dx.doi.org/10.1016/j.compedu.2013.05.011>.
20. Bifulco P, Narducci F, Vertucci R, Ambruosi P, Cesarelli M, Romano M. Telemedicine supported by Augmented Reality: an interactive guide for untrained people in performing an ECG test. *Biomed Eng Online*. 2014;13:1–16, <http://dx.doi.org/10.1186/1475-925X-13-153>.
21. Wiederhold BK, Riva G, Wiederhold MD. *Annual Review of Cybertherapy and Telemedicine 2015: Virtual Reality in Healthcare: Medical Simulation and Experiential Interface*. Amsterdam, Berlin, Washington DC: IOS Press; 2016.
22. Juanes Méndez JA. Estado actual de las nuevas tecnologías en la enseñanza de las ciencias experimentales y de la medicina en particular. *Educ Medica*. 2016;17:1–2, <http://dx.doi.org/10.1016/j.edumed.2016.03.001>.
23. Kunkler K. The role of medical simulation: an overview. *Int J Med Robot*. 2006;2:203–10, <http://dx.doi.org/10.1002/rcs.101>.
24. Rosen KR. The history of medical simulation. *J Crit Care*. 2008;23:157–66, <http://dx.doi.org/10.1016/j.jcrc.2007.12.004>.
25. Guerrero-Cuevas B, Valero-Aguayo L. Side-effects of a videogame withinmersive virtual reality. *Int J Psychol Psychol Ther*. 2013;13:163–78.